

CITY OF LA VISTA
MAYOR AND CITY COUNCIL REPORT
JULY 7, 2020 AGENDA

Subject:	Type:	Submitted By:
PURCHASE – PAVEMENT MARKING MACHINE	◆ RESOLUTION ORDINANCE RECEIVE/FILE	JEFF CALENTINE DEPUTY DIRECTOR OF PUBLIC WORKS

SYNOPSIS

A resolution has been prepared authorizing the purchase of one (1) 2020 Graco GMAX 3900 Airless Sprayer from Diamond Vogel, 7870 L St., Omaha, NE 68127 in an amount not to exceed \$6,400.

FISCAL IMPACT

The FY 19/20 Biennial Budget provides funding for the proposed purchase.

RECOMMENDATION

Approval.

BACKGROUND

Public works performs a portion of its pavement marking and striping requirements in-house. This includes parking lot striping, handicap markings, crosswalk painting and various touchup painting throughout the year. The current paint machine is 28 years old and past its useful life. This new paint machine has the capacity to operate two guns at once, which would allow a second staff member to assist the signal technician and complete these tasks in a more efficient manner.

RESOLUTION NO.

A RESOLUTION OF THE MAYOR AND CITY COUNCIL OF THE CITY OF LA VISTA, NEBRASKA, AUTHORIZING THE PURCHASE OF ONE (1) 2020 GRACO GMAX 3900 AIRLESS SPRAYER FROM DIAMOND VOGEL, OMAHA, NEBRASKA IN AN AMOUNT NOT TO EXCEED \$6,400.

WHEREAS, the City Council of the City of La Vista has determined that the purchase of a Graco GMAX 3900 Airless Sprayer is necessary; and

WHEREAS, the FY 19/20 Biennial Budget provides funding for this purchase; and

WHEREAS, Subsection (C) (9) of Section 31.23 of the La Vista Municipal code requires that the City Administrator secure council approval prior to authorizing any purchases over \$5,000;

NOW, THEREFORE BE IT RESOLVED, that the Mayor and City Council of the City of La Vista, Nebraska authorize the purchase of one (1) 2020 Graco GMAX 3900 Airless Sprayer from Diamond Vogel, Omaha, Nebraska in an amount not to exceed \$6,400.

PASSED AND APPROVED THIS 7TH DAY OF JULY, 2020.

CITY OF LA VISTA

Douglas Kindig, Mayor

ATTEST:

Pamela A. Buethe, CMC
City Clerk